Virtual Private Networks (VPN) MacWorld/Pro Conference VPN Buyers Guide

Bill Vlahos

Network Services Engineer
OAO Corporation contracted to Jet Propulsion Laboratory
July 22, 1999




- What is Remote Access?
- What is a VPN?
- Why do I want it?
- How do I choose it?
- When can I use it?
- Opportunities to lead using Macs
 - Most common VPN is Microsoft's built-in

Introduction to Remote Access

- Current situation
 - Dial up 56k v.90 or 128k ISDN
 - Multi-protocol
 - IP via Internet
 - IP only
 - IP address restriction on web & ftp servers
 - Clear text with little encryption

Technology Direction


- WEB and FTP information dissemination everywhere
- ISP services commonplace (with features you can't provide)
 - High Speed Internet services available
 - Wireless Internet access
 - International ISP services available
- · Corporate business on web
 - Timecards
 - Order processing
- Off-site people
 - Telecommuters
 - Customers
 - Contractors



What is a VPN?

High-speed, secure, controlled connections from anywhere!

- Three forms
 - Client to server
 - Software solution plus authentication (often local)
 - Client to network (gateway)
 - Client software gateway software or hardware plus authentication server
 - Network to network (Gateway-gateway or LAN-LAN)
 - · Hardware solution for stability and performance



Which type of VPN?

- Client-server
 - Complete encryption end to end
 - Doesn't scale easily/how do you authenticate users
 - Performance and security issues
- Client-network
 - High performance
 - Scalable (can leverage existing infrastructure)
 - Requires client software
- Network-network
 - No client requirements (support all platforms)
 - Doesn't go everywhere

The 3 Components of a VPN Focus on Client-network

- VPN Gateway
 - External interface (IPSec only)
 - Internal interface (multi-protocol inside Company network)
- Authentication Server
- Client software

Features & Options

- Authentication Servers
 - RADIUS
 - TACACS
 - SecureID Card
 - PKI
- Type of Gateway
 - Appliance Box
 - Software application
- Performance Expectations
 - Simultaneous connections
 - Network throughput

• Standards

- PPTP (Microsoft)
- L2TP (Microsoft & Cisco)
- IPSec (Ratified standard)
- Services
 - IP
 - AppleTalk
 - IPX
 - NAT (Network Address Translation)
 - Encryption levels (DES, 3DES, etc)

Macintosh Supported Vendors

V	endor (Alphabetical)	IKE	IPSec	RADIUS	Form	Cross vendor support
А	ltaVista Tunnel/Compaq	No	No	No	S/W	Unsure
8	ay Networks/NorTel	No	No	Yes	Box	Uses NTS client
C	isco Systems	Yes	Yes	?	Both	Uses Network Associates client
C	ompatible Systems	Yes	Yes	Yes	Вох	Gateways some, clients limited
1	nfoExpress	Yes	No *	Yes	S/W	No
i	Pass	No	No	No	N/A	No
М	licrosoft	No	No	No	S/W	Can use NTS client
N	letwork Associates(PGPnet)	Yes	Yes	No	S/W	Yes
Р	GPnet from MIT (Freeware)	Yes	Yes	No	S/W	Yes
N	letwork TeleSystems(NTS)	No	No	Yes	Both	Yes
N	lovell	No	No	Yes	5/W	No
1	imeStep	Yes	Yes	No+	Вох	Some
٧	- ONE	Yes	No	Yes	S/W	
	Planned					

Contacting Vendors

AltaVista Tunnel /Compaq http://altavista.software.digital.com/tunnel/
Bay Networks/NorTel http://www.nortelnetworks.com
Cisco Systems http:// www.cisco.com
Compatible Systems http:// www.compatible.com
InfoExpress http:// www.infoexpress.com
*iPass http://www.centralhouse.com/ipass/service_overview.html
Network Associates(PGPnet) http://www.nai.com/
PGPnet from MIT (Freeware) http://web.mit.edu/network/pgp.html
Network TeleSystems(NTS) http://www.nts.com/
*Novell http://www.valuemedia.com/value/pages/009325.html
TimeStep http:// www.timestep.com
V-ONE http://www.v-one.com/smartgate.htm


Authentication Servers

- MacRADIUS http://www.cyno.com
 - IETF Standards based RADIUS (Remote Authentication Dial-in User Service) server with extensive AppleScript support.
- HandyTACACS http://www.arithmetica.ch/HandyTacacs/index.shtml
 - TACACS (Terminal Access Controller Access Control System)
- Accounts on the Gateway
 - Not scalable
- · Public Key Infrastructure (PKI) not Mac based
 - Entust http://www.entrust.com/
 - Versign http://www.verisign.com/
 - x.509 Certificates

Sample Requirements for VPNs your mileage may vary

- · Encryption (IPSec)
- smart tunnel (appropriate use)
- · NAT (Network Address Translation)
- log source and NAT IP addresses
- log traffic indicator
- IKE/PKI Entrust (in future)
- Encryption key rotation
- AppleTalk
- IPX
- · failover & redundancy

- Connectivity (Client-gateway, gatewaygateway, gateway at edge of JPL network)
- Mac, Win95/98/NT
- client s/w exportable
- application independent
- 500 simultaneous connections
- 27 Mb/s throughput
- load balancing
- password protected
- Console port protected
- passwords changeable
- SNMP monitoring
- vendor replacement



Client-Gateway VPN


- Advantages
 - All network services automatically protected
 - Ubiquitous Internet access
 - ISP & technology independent
 - Traffic is encrypted before it leaves computer
 - User is authenticated at connection time
 - Smart tunnel feature assures "appropriate usage"
 - Standards based (IPSec)
 - Leverage current infrastructure (authentication, etc.)
 - No changes to existing services
- Disadvantages
 - Software installed on remote client computer

Gateway-Gateway VPN

- Advantages
 - Does not require client installs on remote computers
 - Supports all computer platforms
 - ISP independent. Gateway (s) can be anywhere on the Internet
 - Smart tunnel feature assures "appropriate usage"
 - "Alway s-on" connection
- Disadvantages
 - Difficult to control who is on the remote network


So does it work?

- Yes!
- How well do you ask?...




VPN Performance Impact Analog Modems

• Good line conditions Small penalty (17%)



Poor line conditions
 No consistent penalty



Challenges for deployment

- Remote site firewalls
- Support of computers owned by other institutions
- Who will support outside users
- IPSec ratified Nov. '98. Will take time to stabilize
- Cross-vendor compatibility not good

Additional Information

- IPSecurity (IPSec) RFC 2409 (IKE {Internet Key Exchange}) and RFC 2407 (ISAKMP {Internet Security Association and Key Management Protocol}).

 http://www.ietf.org/html.charters/ipsec-charter.html
- RADIUS (Remote Authentication Dial In User Service) RFC 2058 (Authentication) and RFC 2059 (Accounting)
- My email address: bvlahos@jpl.nasa.gov

